

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,089	07/14/2003	Philip Roland Lacourt	HP0083USNA	7408
23906	7590 07/18/2005		EXAMINER	
E I DU PONT DE NEMOURS AND COMPANY			ZACHARIA, RAMSEY E	
	ENT RECORDS CENTER LL PLAZA 25/1128		· ART UNIT	PAPER NUMBER
4417 LANCASTER PIKE WILMINGTON, DE 19805			1773	
			DATE MAILED: 07/18/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·	$l_{r_{20}}$					
•	Application No.	Applicant(s)				
Office Action Cumment	10/620,089	LACOURT, PHILIP ROLAND				
Office Action Summary	Examiner	Art Unit				
	Ramsey Zacharia	1773				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status		·				
1) Responsive to communication(s) filed on <u>28 June 2005</u> . (a) This action is FINAL . 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-5,7-15 and 20-26 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-5,7-15 and 20-26 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>14 July 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No d in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		te atent Application (PTO-152)				

He

Application/Control Number: 10/620,089 Page 2

Art Unit: 1773

DETAILED ACTION

1. The indicated allowability of claims 6-8, 10, and 20 is withdrawn upon further

reconsideration and review. The new grounds of rejection follow.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found

in a prior Office action.

Claim Objections

3. Claims 7 and 8 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Independent claim 1 now contains all the limitations

recited in dependent claims 7 and 8.

Claim Rejections - 35 USC § 112

4. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing

to particularly point out and distinctly claim the subject matter which applicant regards as the

invention.

5. Claim 1 recites the limitation "the PTM bonding layer" on line 32 of the claim. There is

insufficient antecedent basis for this limitation in the claim.

Claim Language

6. For the purpose of examination, the thicknesses at the end of claim 1 are taken to refer to the thickness of the adhesive primer layer and not the PTM bonding layer. Support for this can be found on page 12, lines 16-19 of the instant specification.

4, 5, 9, 14, 15, 23, 24, and 26

Claim Rejections - 35 USC § 103

7. Claims 1-5, 7-15, 20-24, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Effenberger et al. (U.S. Patent 5,238,748).

Effenberger et al. teach a laminate comprising a layer of polyimide, a fluoropolymer layer, and an adhesive layer (column 4, lines 42-47). The adhesive of the adhesive layer may be a thermally compatible TFE copolymer or a blend of the thermally compatible TFE copolymer and PTFE (column 4, lines 45-50). The fluoropolymer layer may also be a thermally compatible TFE copolymer or a blend of the thermally compatible TFE copolymer and PTFE (column 3, lines 31-34). The preferred thermally compatible TFE copolymers are FEP and PFA (column 4, lines 48-50). Blend should contain at least 40 vol% (~ 40 wt%) of PTFE (column 6, lines 14-15), i.e. as much as 60% of the thermally compatible TFE copolymer. The PFA has a melting point of 305 °C (column 6, lines 6-7). The laminate may be used as tape-wrapped insulation for wires (column 7, lines 39-44). The polyimide layer has a thickness of 0.5-2.0 mil, i.e. ~ 12.5-50 μm (column 5, lines 58-59). In the embodiment of Example 1, the thicknesses of the layers are as follows: 2 mil (i.e. ~ 50 μm) for the polyimide layer, 0.05 mil (~ 1.25 μm) for the adhesive layer, and 0.5 mil (~ 12.5 μm) for the fluoropolymer layer (column 6, 42-47). A PTFE

Application/Control Number: 10/620,089

Art Unit: 1773

dispersion is coated on the adhesive layer to form a PTFE layer having a thickness of 0.5 mil thick ($\sim 12.5 \,\mu\text{m}$) (column 6, lines 47-50). This PTFE layer reads on the exterior layer of instant claim 2. The laminate is then baked and thermally treated which should result in at least a partial sintering of the PTFE dispersion particles (column 6, line 52-column 7, line 8).

Regarding claim 1, Effenberger et al. do not disclose an embodiment wherein the fluoropolymer layer comprises PFA and the adhesive layer comprises FEP. However, both the fluoropolymer layer and the adhesive layer may be formed of thermally compatible TFE copolymer or a blend of the 60% thermally compatible TFE copolymer and 40% PTFE and both PFA and FEP are cited as preferred thermally compatible TFE copolymers.

It would be obvious to one skilled in the art to select any of the materials disclosed as suitable for the fluoropolymer layer (including PFA or a blend of as little as 40% PTFE and as much as 60% PFA) and any of the materials disclosed as suitable for the adhesive layer (including FEP or a blend of as little as 40% PTFE and as much as 60% FEP).

Regarding claim 20, the bond strength is a function of the adhesives and materials to be bonded together. Since Effenberger et al. disclose the same materials used in the instant invention (i.e. FEP for the adhesive layer and PFA for the fluoropolymer layer), the adhesive and fluoropolymer layers should intrinsically possess the same bond strength.

Regarding claims 4 and 5, Effenberger et al. do not specify that the fluoropolymer layer on the opposite side of the polyimide layer from the PTFE layer comprises FEP. In the embodiment of Example 1, this layer is formed from a blend of PTFE and PFA.

However, Effenberger et al. do teach the equivalence of thermally compatible TFE copolymers (e.g. PFA and FEP) and blends of PTFE with the thermally compatible TFE

Art Unit: 1773

copolymers (column 4, lines 42-50). That is, Effenberger et al. show that FEP and blends of PTFE and PFA are functionally equivalent materials for the practice of their invention.

Therefore, because these two materials were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute FEP for one of the PTFE/PFA blend layers.

Regarding claim 26, Effenberger et al. do not teach the addition of one of the additives recited in instant claim 26 into the polyimide layer.

However, Effenberger et al. do teach the addition of carbonates that evolve carbon dioxide, minerals containing water of hydration, and polymers that decompose without producing carbonaceous or other conductive by-products to improve the arc tracking properties of the laminate (column 5, lines 9-27). While Effenberger et al. teach the incorporation of these additives into the fluoropolymer layers as opposed to the polyimide layer, Effenberger et al. also notes that it is well known in the art that polyimide films can also suffer catastrophic failure as a result of arc tracking (column 1, line 57-column 2, line 4). Therefore, it would have been obvious to one skilled in the art to incorporate additives (such as carbonates that evolve carbon dioxide, minerals containing water of hydration, and polymers that decompose without producing carbonaceous or other conductive by-products) into the polyimide layer to improve the arc tracking properties of polyimide layer, and thus the laminate as a whole.

8. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Effenberger et al. (U.S. Patent 5,238,748) in view of Herbreteau (U.S. Patent 4,271,226).

Application/Control Number: 10/620,089

Art Unit: 1773

Effenberger et al. teach or suggest all the limitations of claim 25, as outlined above, except for the degree of overlap when insulating wire by wrapping the laminate around the wire.

Herbreteau is directed to insulation for a cable formed by wrapping a tape around the cable (abstract). Herbreteau teaches that the level of insulation required is a function of the degree of overlap (column 4, lines 13-22). That is, the degree of overlap is a results effective variable that affects the level of insulation provided. It would have been obvious to one having ordinary skill in the art at the time the invention was made to optimize the degree of overlap when wrapping the tape of Effenberger et al. around a wire depending on the level of insulation required, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2nd 272, 205 USPQ 215 (CCPA 1980).

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carol Chaney, can be reached at (571) 272-1284. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 1773

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ramsey Zacharia Primary Examiner

Tech Center 1700